


MPEG4 Stand Alone DVR With Built CD Writer



Features

- MPEG4: high quality and fast streaming
- Triplex: Recording, Playback and Networking at the same time
- 4-8 or 16 Camera Inputs
- Real Time Live: 120 frame recording
- Easy to use GUI
- Powerful Network: Live monitoring, Remote playback, Data backup and System upgrade available
- Various Backup: USB and CD-RW
- Built in Viewer program available.
- System stability: Optimized board and system layout Watchdog, Recovery
- Watermark (on network backup)
- Jog shuttle and LCD display
- VGA output

LIVE MONITORING SCREEN



REMOTE MONITORING SCREEN



DVR Set Up



Set up allows users to navigate through and choose parameters such as resolution, frame per second recording type, network type & Backing up of data. Set up main window above all parameters set by pressing button on unit or through the remote controller and these can be set up remotely as well with full remote control supported.



Users can individually configuring Recording resolution and Recording Frames. Recording set up include settings such as Video Quality, Frame Per second & recording type. (Schedule, Motion, Continuous etc)

DVR Back Up & Searching



DVR Video Back up is done via set up the feature is a real unique and easy to navigate , Whilst backing up Video the system also incorporates back up viewer onto same cd, so as users do not needs 2 CD's everything contained in 1 CD.

DVR search function works similar to PC base DVR's with charted graph with recording broken down by Date,Time & Recording Method.The Search is so user friendly everyone can effectively operate it.



Specifications

ITEM	2104	2109	2116
Channel	4CH	9CH	16CH
Compression format	MPEG4		
Video input	Composite: 1.0V p-p/75Ω, BNC×4	Composite: 1.0V p-p/75Ω, BNC×9	Composite: 1.0V p-p/75Ω, BNC×16
Video output	Composite: 1.0V p-p/75Ω, BNC×2 S-VideoX1, VGAX1		
Display Resolution	PAL: 720*576 NTSC: 720*480		
Display Frame Rate	PAL: 100FPS NTSC: 120FPS	PAL: 200FPS NTSC: 240FPS	PAL: 400FPS NTSC: 480FPS
Record Resolution	PAL: 704*576/704*288 /352*288 NTSC: 720*480/720*240/ 360*240		
Record Frame rate	PAL: 25FPS/50FPS/100FPS NTSC: 30FPS/60FPS/120FPS		
Audio input	-8dB 22k, RCA X4		
Audio output	-8dB -- -92dB, RCA X4		
Alarm input	NO or NC 4CH	NO or NC 8CH	NO or NC 16CH
Alarm output	NO or NC, 1CH		
Record Mode	Manual / Sensor /Schedule / Motion detection		
Simplex/Duplex/Triplex	TRIPLEX		
Network Interface	RJ45 (LAN, INTERNET) (Support IE browser)		
PTZ control	YES	YES	YES
Communication port	RS485		
Backup	USB ,CD-RW,DVD-RW optional		
Remote controller	YES	YES	YES
HDD info	Support up to 4HDDs, one in removable HDD tray, three externally or 2HDDs with CD-RW or DVD-RW		